






































Schwefel - Linsen OmniCult											Normaldüngung					AXIS - M (mech.) 30 / 40				
		12 m			15 m			16 m			18 m			18 m						
		S 2			S 2			S 2			S 2			S 4						
 1/min		480			540			540			540			420						
 cm		50 / 50			50 / 50			50 / 50			50 / 50			50 / 50						
		4			6			6			8			5						
		14			16			16			16			16						
		K 12,5			K 13			K 13			K 13			K 13,5						
 1/min		420			480			480			540			420						
		K 13			K 13,5			K 13,5			M 13,5			--						
 1/min		480			540			540			540			--						
1.00		kg / ha																		
		km/h			km/h			km/h			km/h			km/h						
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12				
2	1.7	10.6																		
3	2.6	16.3	13.0	10.8	13.0	10.4						10.8			10.8					
4	3.4	21.3	17.0	14.2	17.0	13.6	11.3	15.9	12.8	10.6	14.2	11.3		14.2	11.3					
5	4.3	26.9	21.5	17.9	21.5	17.2	14.3	20.2	16.1	13.4	17.9	14.3	11.9	17.9	14.3	11.9				
6	5.2	32.5	26.0	21.7	26.0	20.8	17.3	24.4	19.5	16.3	21.7	17.3	14.4	21.7	17.3	14.4				
7	6.3	39.4	31.5	26.3	31.5	25.2	21.0	29.5	23.6	19.7	26.3	21.0	17.5	26.3	21.0	17.5				
8	7.4	46.3	37.0	30.8	37.0	29.6	24.7	34.7	27.8	23.1	30.8	24.7	20.6	30.8	24.7	20.6				
9	8.1	51	40.5	33.8	40.5	32.4	27.0	38.0	30.4	25.3	33.8	27.0	22.5	33.8	27.0	22.5				
10	8.8	55	44.0	36.7	44.0	35.2	29.3	41.3	33.0	27.5	36.7	29.3	24.4	36.7	29.3	24.4				
11	9.5	59	47.5	39.6	47.5	38.0	31.7	44.5	35.6	29.7	39.6	31.7	26.4	39.6	31.7	26.4				
12	10.2	64	51	42.5	51	40.8	34.0	47.8	38.3	31.9	42.5	34.0	28.3	42.5	34.0	28.3				
13	10.9	68	55	45.4	55	43.6	36.3	51	40.9	34.1	45.4	36.3	30.3	45.4	36.3	30.3				
14	11.6	73	58	48.3	58	46.4	38.7	54	43.5	36.3	48.3	38.7	32.2	48.3	38.7	32.2				
15	12.3	77	62	51	62	49.2	41.0	58	46.1	38.4	51	41.0	34.2	51	41.0	34.2				
16	13.2	83	66	55	66	53	44.0	62	49.5	41.3	55	44.0	36.7	55	44.0	36.7				
17	14.0	88	70	58	70	56	46.7	66	53	43.8	58	46.7	38.9	58	46.7	38.9				
18	14.9	93	75	62	75	60	49.7	70	56	46.6	62	49.7	41.4	62	49.7	41.4				
19	15.7	98	79	65	79	63	52	74	59	49.1	65	52	43.6	65	52	43.6				
20	16.6	104	83	69	83	66	55	78	62	52	69	55	46.1	69	55	46.1				
21	17.4	109	87	73	87	70	58	82	65	54	73	58	48.3	73	58	48.3				
22	18.2	114	91	76	91	73	61	85	68	57	76	61	51	76	61	51				
23	19.1	119	96	80	96	76	64	90	72	60	80	64	53	80	64	53				
24	19.9	124	100	83	100	80	66	93	75	62	83	66	55	83	66	55				
25	20.7	129	104	86	104	83	69	97	78	65	86	69	58	86	69	58				
26	21.5	134	108	90	108	86	72	101	81	67	90	72	60	90	72	60				
27	22.3	139	112	93	112	89	74	105	84	70	93	74	62	93	74	62				
28	23.2	145	116	97	116	93	77	109	87	73	97	77	64	97	77	64				
29	24.0	150	120	100	120	96	80	113	90	75	100	80	67	100	80	67				
30	24.8	155	124	103	124	99	83	116	93	78	103	83	69	103	83	69				

Schwefel - Linsen OmniCult											AXIS - M (mech.) 30 / 40					
Normaldüngung																
	20 m	21 m	24 m	24 m	24 m	24 m	24 m	24 m	24 m	24 m						
	S 4	S 4	S 4	S 6	S 8											
 1/min	480	480	600	540	540											
 cm	50 / 50	50 / 50	50 / 50	50 / 50	50 / 50											
	6,5	6,5	8	8	8											
	41	41	51	53	53											
	M 14	M 14	O 14	O 14	O 14											
 1/min	480	480	540	480	480											
	--	--	--	--	--											
 1/min	--	--	--	--	--											
	1.00	kg / ha														
	 kg/min	km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
4	3.4	12.8	10.2		12.1		10.6			10.6				10.6		
5	4.3	16.1	12.9	10.8	15.4	12.3	10.2	13.4	10.8		13.4	10.8		13.4	10.8	
6	5.2	19.5	15.6	13.0	18.6	14.9	12.4	16.3	13.0	10.8	16.3	13.0	10.8	16.3	13.0	10.8
7	6.3	23.6	18.9	15.8	22.5	18.0	15.0	19.7	15.8	13.1	19.7	15.8	13.1	19.7	15.8	13.1
8	7.4	27.8	22.2	18.5	26.4	21.1	17.6	23.1	18.5	15.4	23.1	18.5	15.4	23.1	18.5	15.4
9	8.1	30.4	24.3	20.3	28.9	23.1	19.3	25.3	20.3	16.9	25.3	20.3	16.9	25.3	20.3	16.9
10	8.8	33.0	26.4	22.0	31.4	25.1	21.0	27.5	22.0	18.3	27.5	22.0	18.3	27.5	22.0	18.3
11	9.5	35.6	28.5	23.8	33.9	27.1	22.6	29.7	23.8	19.8	29.7	23.8	19.8	29.7	23.8	19.8
12	10.2	38.3	30.6	25.5	36.4	29.1	24.3	31.9	25.5	21.3	31.9	25.5	21.3	31.9	25.5	21.3
13	10.9	40.9	32.7	27.3	38.9	31.1	26.0	34.1	27.3	22.7	34.1	27.3	22.7	34.1	27.3	22.7
14	11.6	43.5	34.8	29.0	41.4	33.1	27.6	36.3	29.0	24.2	36.3	29.0	24.2	36.3	29.0	24.2
15	12.3	46.1	36.9	30.8	43.9	35.1	29.3	38.4	30.8	25.6	38.4	30.8	25.6	38.4	30.8	25.6
16	13.2	49.5	39.6	33.0	47.1	37.7	31.4	41.3	33.0	27.5	41.3	33.0	27.5	41.3	33.0	27.5
17	14.0	53	42.0	35.0	50	40.0	33.3	43.8	35.0	29.2	43.8	35.0	29.2	43.8	35.0	29.2
18	14.9	56	44.7	37.3	53	42.6	35.5	46.6	37.3	31.0	46.6	37.3	31.0	46.6	37.3	31.0
19	15.7	59	47.1	39.3	56	44.9	37.4	49.1	39.3	32.7	49.1	39.3	32.7	49.1	39.3	32.7
20	16.6	62	49.8	41.5	59	47.4	39.5	52	41.5	34.6	52	41.5	34.6	52	41.5	34.6
21	17.4	65	52	43.5	62	49.7	41.4	54	43.5	36.3	54	43.5	36.3	54	43.5	36.3
22	18.2	68	55	45.5	65	52	43.3	57	45.5	37.9	57	45.5	37.9	57	45.5	37.9
23	19.1	72	57	47.8	68	55	45.5	60	47.8	39.8	60	47.8	39.8	60	47.8	39.8
24	19.9	75	60	49.8	71	57	47.4	62	49.8	41.5	62	49.8	41.5	62	49.8	41.5
25	20.7	78	62	52	74	59	49.3	65	52	43.1	65	52	43.1	65	52	43.1
26	21.5	81	65	54	77	61	51	67	54	44.8	67	54	44.8	67	54	44.8
27	22.3	84	67	56	80	64	53	70	56	46.5	70	56	46.5	70	56	46.5
28	23.2	87	70	58	83	66	55	73	58	48.3	73	58	48.3	73	58	48.3
29	24.0	90	72	60	86	69	57	75	60	50	75	60	50	75	60	50
30	24.8	93	74	62	89	71	59	78	62	52	78	62	52	78	62	52
31	25.9	97	78	65	93	74	62	81	65	54	81	65	54	81	65	54
32	27.0	101	81	68	96	77	64	84	68	56	84	68	56	84	68	56

Schwefel - Linsen OmniCult											AXIS - M (mech.) 30 / 40					
											Normaldüngung					
	25 m		25 m		27 m		27 m		28 m							
	S 6		S 8		S 6		S 8		S 6							
	540		540		660		600		660							
	50 / 50		50 / 50		50 / 50		50 / 50		50 / 50							
	8		8		9		9,5		9							
	52		53		59		60		59							
	O 14		O 14		O 14		O 14,5		O 14							
	480		480		600		600		600							
	--		--		--		--		--							
	--		--		--		--		--							
	1.00											kg / ha				
																
		km/h			km/h			kg / ha			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
4	3.4	10.2			10.2											
5	4.3	12.9	10.3		12.9	10.3		11.9			11.9			11.5		
6	5.2	15.6	12.5	10.4	15.6	12.5	10.4	14.4	11.6		14.4	11.6		13.9	11.1	
7	6.3	18.9	15.1	12.6	18.9	15.1	12.6	17.5	14.0	11.7	17.5	14.0	11.7	16.9	13.5	11.3
8	7.4	22.2	17.8	14.8	22.2	17.8	14.8	20.6	16.4	13.7	20.6	16.4	13.7	19.8	15.9	13.2
9	8.1	24.3	19.4	16.2	24.3	19.4	16.2	22.5	18.0	15.0	22.5	18.0	15.0	21.7	17.4	14.5
10	8.8	26.4	21.1	17.6	26.4	21.1	17.6	24.4	19.6	16.3	24.4	19.6	16.3	23.6	18.9	15.7
11	9.5	28.5	22.8	19.0	28.5	22.8	19.0	26.4	21.1	17.6	26.4	21.1	17.6	25.4	20.4	17.0
12	10.2	30.6	24.5	20.4	30.6	24.5	20.4	28.3	22.7	18.9	28.3	22.7	18.9	27.3	21.9	18.2
13	10.9	32.7	26.2	21.8	32.7	26.2	21.8	30.3	24.2	20.2	30.3	24.2	20.2	29.2	23.4	19.5
14	11.6	34.8	27.8	23.2	34.8	27.8	23.2	32.2	25.8	21.5	32.2	25.8	21.5	31.1	24.9	20.7
15	12.3	36.9	29.5	24.6	36.9	29.5	24.6	34.2	27.3	22.8	34.2	27.3	22.8	32.9	26.4	22.0
16	13.2	39.6	31.7	26.4	39.6	31.7	26.4	36.7	29.3	24.4	36.7	29.3	24.4	35.4	28.3	23.6
17	14.0	42.0	33.6	28.0	42.0	33.6	28.0	38.9	31.1	25.9	38.9	31.1	25.9	37.5	30.0	25.0
18	14.9	44.7	35.8	29.8	44.7	35.8	29.8	41.4	33.1	27.6	41.4	33.1	27.6	39.9	31.9	26.6
19	15.7	47.1	37.7	31.4	47.1	37.7	31.4	43.6	34.9	29.1	43.6	34.9	29.1	42.1	33.6	28.0
20	16.6	49.8	39.8	33.2	49.8	39.8	33.2	46.1	36.9	30.7	46.1	36.9	30.7	44.5	35.6	29.6
21	17.4	52	41.8	34.8	52	41.8	34.8	48.3	38.7	32.2	48.3	38.7	32.2	46.6	37.3	31.1
22	18.2	55	43.7	36.4	55	43.7	36.4	51	40.4	33.7	51	40.4	33.7	48.8	39.0	32.5
23	19.1	57	45.8	38.2	57	45.8	38.2	53	42.4	35.4	53	42.4	35.4	51	40.9	34.1
24	19.9	60	47.8	39.8	60	47.8	39.8	55	44.2	36.9	55	44.2	36.9	53	42.6	35.5
25	20.7	62	49.7	41.4	62	49.7	41.4	58	46.0	38.3	58	46.0	38.3	55	44.4	37.0
26	21.5	65	52	43.0	65	52	43.0	60	47.8	39.8	60	47.8	39.8	58	46.1	38.4
27	22.3	67	54	44.6	67	54	44.6	62	49.6	41.3	62	49.6	41.3	60	47.8	39.8
28	23.2	70	56	46.4	70	56	46.4	64	52	43.0	64	52	43.0	62	49.7	41.4
29	24.0	72	58	48.0	72	58	48.0	67	53	44.4	67	53	44.4	64	51	42.9
30	24.8	74	60	49.6	74	60	49.6	69	55	45.9	69	55	45.9	66	53	44.3
31	25.9	78	62	52	78	62	52	72	58	48.0	72	58	48.0	69	56	46.3
32	27.0	81	65	54	81	65	54	75	60	50	75	60	50	72	58	48.2

Schwefel - Linsen OmniCult										Normaldüngung						AXIS - M (mech.) 30 / 40			
	28 m																		
	S 8																		
	600																		
	50 / 50																		
	9,5																		
	60																		
	O 14,5																		
	540																		
	--																		
	--																		
	1.00		kg / ha																
																			
		km/h			km/h			km/h			km/h			km/h					
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12			
5	4.3	11.5																	
6	5.2	13.9	11.1																
7	6.3	16.9	13.5	11.3															
8	7.4	19.8	15.9	13.2															
9	8.1	21.7	17.4	14.5															
10	8.8	23.6	18.9	15.7															
11	9.5	25.4	20.4	17.0															
12	10.2	27.3	21.9	18.2															
13	10.9	29.2	23.4	19.5															
14	11.6	31.1	24.9	20.7															
15	12.3	32.9	26.4	22.0															
16	13.2	35.4	28.3	23.6															
17	14.0	37.5	30.0	25.0															
18	14.9	39.9	31.9	26.6															
19	15.7	42.1	33.6	28.0															
20	16.6	44.5	35.6	29.6															
21	17.4	46.6	37.3	31.1															
22	18.2	48.8	39.0	32.5															
23	19.1	51	40.9	34.1															
24	19.9	53	42.6	35.5															
25	20.7	55	44.4	37.0															
26	21.5	58	46.1	38.4															
27	22.3	60	47.8	39.8															
28	23.2	62	49.7	41.4															
29	24.0	64	51	42.9															
30	24.8	66	53	44.3															
31	25.9	69	56	46.3															
32	27.0	72	58	48.2															
33	28.0	75	60	50															